

Copper tube type small busbar terminal



Overview

Copper Bus Bars | McMaster-Carr Choose from our selection of copper bus bars, including over 650 products in a wide range of styles and sizes. Same and Next.

Key Takeaways

A copper tube type small busbar terminal is a compact, highly conductive electrical connector used to distribute power efficiently in tight spaces, typically made from high-purity copper such as Cu-ETP or OF-Cu.

Copper busbar terminals are designed to route electricity within switchboards, battery banks, and electrical panels, providing a central connection point for multiple wires or circuits while minimizing voltage drop and energy loss . The tube-type design allows for secure wire insertion and bolted connections, making it ideal for small-scale or compact installations where space is limited .

Material and Conductivity

- **Copper Types:** High-conductivity copper such as Cu-ETP (Electrolytic Tough Pitch) or OF-Cu (Oxygen-Free Copper) is commonly used for busbars due to its excellent electrical conductivity and low resistance .
- **Advantages:** Copper provides superior current-carrying capacity compared to aluminum or other alloys, allowing for smaller cross-sections while maintaining high current density .

- **Surface Finishes:** Copper busbars can be galvanically refined or tinned to improve corrosion resistance and facilitate soldering or bolting .

Design and Applications

- **Small Busbar Terminals:** These are typically compact, tubular, or flat bar designs that allow for easy integration into tight enclosures or battery terminals .

- **Applications:** Used in switchboards, renewable energy systems, battery storage, e-mobility, and industrial electrical panels .

- **Customization:** Many suppliers offer custom lengths, diameters, hole patterns, and insulation options to match specific electrical and mechanical requirements .

Installation and Mounting

- **Connection Methods:** Wire connections are usually made via bolts, screws, or compression fittings into the copper tube terminal.

- **Mounting:** Small busbar terminals can be mounted using insulating supports or brackets to ensure electrical isolation and mechanical stability .

- **Current Rating:** The current-carrying capacity depends on the cross-sectional area, copper purity, and ambient temperature, and can be calculated using standard busbar design formulas .

Suppliers and Availability

- **McMaster-Carr:** Offers a wide range of copper busbars suitable for small terminals with same-day or next-day delivery .

- **Amazon:** Provides various sizes and configurations for small copper busbars .

- **Specialized Manufacturers:** Companies like EMS Power and MSS International provide custom copper busbars, including small tube-type terminals, with engineering support for precise specifications .

Key Considerations

- Ensure the copper grade matches the required conductivity and mechanical strength.

- Verify the current rating for your application to prevent overheating.

- Consider surface treatment for corrosion resistance and ease of connection.

- Evaluate customization options if standard sizes do not fit your installation constraints. A copper tube type small busbar terminal is therefore a highly efficient, customizable solution for compact electrical distribution, offering excellent conductivity, durability, and flexibility for various industrial and renewable energy applications .

Article Content

Battery Cable Ends, Lugs, Ring Terminals, Connectors, Tin Plated

Battery Cable Ends, Copper Battery Terminals, Ring Style Lugs made from pure copper for maximum power and reliability. Many

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

Contact Us

Continue your research online:

Website: <https://coetzerinvestments.co.za>

Technical inquiry: <https://coetzerinvestments.co.za/contact.html>

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

